

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"6807632".pn.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 14:33
S2	1002	hash\$5 with ("path name locator" "file name" "file author" "file creation date" "file modification date" "file size" meta-data)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 14:51
S3	520	S2 and (request\$5 near5 file)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 14:51
S4	71	S3 and (request\$5 with (hash\$5 near8 ("path name locator" "file name" "file author" "file creation date" "file modification date" "file size" meta-data)))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 14:52
S5	0	S3 and (request\$5 with ((hash\$5 near8 ("path name locator" "file name" "file author" "file creation date" "file modification date" "file size" meta-data)) and key and (nonce (random adj1 (number string value))))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 14:53

S6	0	S3 and ((send\$5 transfer\$5) with ((hash\$5 near8 ("path name locator" "file name" "file author" "file creation date" "file modification date" "file size" meta-data)) and key and (nonce (random adj1 (number string value))))))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 14:54
S7	8	hash\$5 with ((path name locator" "file name" "file author" "file creation date" "file modification date" "file size" meta-data) and (shared adj1 (key value data)))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:07
S8	1	hash\$5 with ((path name locator" "file name" "file author" "file creation date" "file modification date" "file size" (file adj1 (id identifier name))) and (shared adj1 (key value data)))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:09
S9	1	hash\$5 with ((path name locator" "file name" "file author" "file creation date" "file modification date" "file size" (file adj1 (id identifier identification))) and (shared adj1 (key value data))))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:10

S10	40	hash\$5 with ((path name locator" "file name" "file author" "file creation date" "file modification date" "file size" (file adj1 (id identifier identification))) and ((shared secret symmetric) adj1 (key value data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:11
S11	39	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:11
S12	3	S11 and nonce	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:14
S13	30	S11 and (nonce (random adj1 number) "time stamp")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:15
S14	27	S13 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:15
S15	251	encrypt\$5 with ((path name locator" "file name" "file author" "file creation date" "file modification date" "file size" (file adj1 (id identifier identification))) and ((shared secret symmetric) adj1 (key value data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:22
S16	241	S15 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:23

S17	163	S16 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:23
S18	94	S16 and (hash\$5 near5 (id identifier identification name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:26
S19	8758	(request\$5 near5 (file content)) with ((file content) adj1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:27
S20	294	((request\$5 near5 (file content)) with ((file content) adj1 server)) with ((file content) adj1 (id identification identifier name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:28
S21	0	((request\$5 near5 (file content)) with ((file content) adj1 server)) with (hash\$5 near7 ((file content) adj1 (id identification identifier name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:29
S22	0	((request\$5 near5 (file content document)) with ((file content document) adj1 server)) with (hash\$5 near7 ((file content document) adj1 (id identification identifier name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:29
S23	0	((download\$5 near5 (file content document)) with ((file content document) adj1 server)) with (hash\$5 near7 ((file content document) adj1 (id identification identifier name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:30

S24	20	(download\$5 near5 (file content document)) with (hash\$5 near7 ((file content document) adj1 (id identification identifier name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:30
S25	36	((transfer\$5 send\$5) near5 (file content document)) with (hash\$5 near7 ((file content document) adj1 (id identification identifier name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:34
S26	35	S25 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:34
S27	25	message with (filename and (nonce timestamp (random adj1 (number string))) and hash\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:42
S28	2	packet with (filename and (nonce timestamp (random adj1 (number string))) and hash\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:44
S29	140	(packet message) with ((filename ((file document content) adj1 (id identifier identification name))) and (nonce timestamp (random adj1 (number string))) and (hash\$5 digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:46

S30	7	(packet message) with ((filename ((file document content) adj1 (id identifier identification name))) and (nonce timestamp (random adj1 (number string))) and ((hash \$5 digest)near5 (filename ((file document content) adj1 (id identifier identification name))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 15:49
S31	282	((filename ((file document content) adj1 (id identifier identification name))) and (nonce timestamp (random adj1 (number string))) and ((hash \$5 digest)near5 (filename ((file document content) adj1 (id identifier identification name))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:04
S32	275	S31 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:04
S33	37	((filename ((file document content) adj1 (id identifier identification name))) with (nonce timestamp (random adj1 (number string))) with ((hash \$5 digest) near5 (filename ((file document content) adj1 (id identifier identification name))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:05

S34	1	((filename ((file document content) adj1 (id identifier identification name))) with (nonce timestamp (random adj1 (number string))) with ((hash \$5 digest) near5 (filename ((file document content) adj1 (id identifier identification name)))) and (replay \$5 near5 attack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:12
S35	12	hash\$5 with ("path name locator" "file name" "file author" "file creation date" "file modification date" "file size" (file adj1 (id identifier identification))) and ((shared secret symmetric) adj1 (key value data)) and (nonce (random adj1 (number string)) timestamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:14
S36	390	multicast\$5 with (timestamp (sequence adj1 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:46
S37	117	S36 and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:46
S38	4	S36 and client and server and (hash\$5 near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 16:47
S39	425	multicast\$5 with (timestamp (sequence adj1 number) (random adj1 (number string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 17:33

S40	26	S39 and client and server and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 17:33
S41	1	S39 and client and server and hash\$5 and (replay\$5 near5 attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 17:34
S42	2	"6643773".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 13:09

11/14/08 11:42:08 PM

C:\Documents and Settings\ASherkat\My Documents\EAST\Workspaces\10122100.wsp